



Petro

SECTION 1 – IDENTIFICATION

PRODUCT IDENTIFIER: Petro™
PRODUCT USE: Bacterial culture for petroleum degrader
MANUFACTURER: EarthCleans
ADDRESS: 2314 Ridgefield Street N.E.
CITY: Roanoke STATE: Virginia ZIP: 24012 COUNTRY: USA

SECTION 2 - COMPOSITION

HAZARDOUS INGREDIENTS	%	CHEMICAL ABSTRACT (CAS) NUMBER
Water	75-80	7732-18-5
Bacterial Culture	0-1	---
Proprietary Chemicals	20-25	---
Enzymes	0-10	---

SECTION 3 – HAZARDS INFORMATION AND RATINGS

WARNING !
 PHYSIO-CHEMICAL HAZARDS: None
 HEALTH HAZARDS: Harmful by contact with skin or if swallowed, Irritating to respiratory system.
 ENVIRONMENTAL HAZARDS: Not classified as dangerous for the environment
 HMIS Hazard Ratings: Health - 1, Flammability - 0, Chemical Reactivity - 0
 NFPA Hazard Ratings: Health - 1, Flammability - 0, Instability - 0

Key: Severe = 4, Serious = 3, Moderate =2, Slight = 1, Minimal = 0.

SECTION 4- FIRST AID MEASURES

Inhalation: Remove victim to fresh air. If breathing has stopped, provide artificial respiration. If breathing is difficult, give oxygen.

Ingestion: Call a physician immediately. Do not induce vomiting. If victim is conscious, have them drink copious amounts of water to dilute ingested material. Never give anything by mouth to an unconscious or convulsing person.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Launder clothing before reuse

Eye Contact: Immediately flush eyes with water for 20 minutes while retracting eyelids. Seek medical advice.

General: Always seek medical advice if an allergic reaction occurs.



Petro

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

N/ap.

PROTECTIVE EQUIPMENT:

Use water spray to cool containers below flash point

EXPOSURE HAZARDS:

N/ap.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Prevent skin and eye contact by wearing appropriate personal protective equipment. Avoid excessive inhalation by using under well-ventilated conditions, or with appropriate respiratory protection.

ENVIRONMENTAL PRECAUTIONS:

Product poses minimal risk to the environment in the packaged quantities. Prevent run-off from entering surface water bodies containing aquatic life. Use absorbent materials.

REMEDIATION MEASURES:

Wear appropriate personal protective equipment. Eliminate all sources of ignition. Contain spill with dikes and absorbent materials. Collect in suitable closed container. The spill area may be very slippery. Dispose of waste solutions or used absorbent materials according to all local, regional, and national regulations. Do not discharge spilled material into surface water bodies or ground water.

SECTION 7 – HANDLING AND STORAGE

VENTILATION:

Use combination of general dilution ventilation and local exhaust ventilation to keep exposure as low as possible. Extra measures may be warranted for large applications or in confined spaces.

DUST/AEROSOL CONTROL:

Not expected under normal conditions of use.

EQUIPMENT:

Wear appropriate personal protective equipment.

OTHER:

Store in tightly closed containers, and away from children. Store away from extreme heat to prevent denaturing. Do not freeze.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORY PROTECTION:

No respiratory protection is warranted under expected conditions of use.

HAND PROTECTION:

Impervious gloves are recommended.

EYE PROTECTION:

Chemical safety goggles or glasses are recommended. Do not wear contact lenses.

SKIN PROTECTION:

Coveralls or other suitable protective garment. Wear suitable footwear for application and working conditions



Petro

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal of surplus or waste product from designed use is not expected to pose a significant danger. Dispose of waste according to all local, regional, and national regulations.

SECTION 14 – TRANSPORT INFORMATION

Not regulated. Do not store product near extreme heat to prevent denaturing of emulsifier.

SECTION 15 – REGULATORY INFORMATION

Other Provisions:

Comply with all national or regional environmental and occupational health and safety requirements.

NOTE: This document is given in good faith and has been prepared in accordance with the MSDS of the OSHA Hazard Communication Standard 29 CFR 1910, 1200. However, no warranty explicit or implicit is given. It is the buyer's responsibility to assure local, state, or federal laws, and the regulatory conditions of each location. (CERCLA) Comprehensive Response Compensation and Liability Act.

The reportable quantity (RQ) is 1 lb. (0.5 Kg.) and must be reported to the National Response Center at 1-800-424-8802.

(SARA) (USA) Super Fund Amendment and Reauthorization Act.

Product subject to the reporting stipulations of Title III or Section 313 of 1986. Sections 311 and 312 hazard classification(s): fire hazard, delayed health hazard (Chronic), immediate health hazard (acute).

(TSCA) US Toxic Substances Control Act. Product listed on the TSCA Inventory.

SECTION 16 – OTHER INFORMATION

Preparation Date: August 4, 2008. Prepared by: EarthCleanz

The information contained herein is based on current knowledge and experience; no responsibility is accepted that the information is sufficient or correct in all cases. Users should consider these data only as a supplement to other information. Users should make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials, the safety and health of employees and customers, and the protection of the environment.