

A division of Green Earth Naturally, LLC

BioFlavX PGE

DIRECTIONS FOR USE:

To use, dilute 4 ounces of BioFlavx PGE in 5 gallons of distilled water to create a working solution.

Introduce the working solution into drinking water through a 1:128 medicator system.

If a different ratio medicator is used, adjust the dilution of the working solution appropriately.

Special Note: BioFlavX PGE is sold as a concentrate. One gallon of BioFlavX PGE concentrate will make approximately 45,000 to 50,000 gallons of treated drinking water when used as directed.

BioFlavX PGE is used from chick placement to house depopulation, and is safe to use with other medications and vitamin premixes.

BioFlavX PGE should be introduced into drinking water only <u>after</u> any filtration and chlorination steps have been performed. Appropriate residual chlorine levels should be determined prior to introduction of BioFlavX PGE into drinking water to insure that excess levels of residual chlorine do not negatively affect BioFlavX PGE performance.

BioFlavX PGE should be administered 4 consecutive days out of each week that birds are in the house on a "4 days on/3 days off" schedule.

FIRST AID PROCEDURES FOR BIOFLAVX PGE CONCENTRATE:

Inhalation: Nonvolatile liquid product.

Ingestion: Drink copious amounts of water and seek medical attention.

<u>Skin Contact</u>: Wash area with plenty of water. Remove clothing if product gets inside and launder clothing before reuse.

Eye Contact: Immediately flush eyes with eye-wash solution or clean water for at least 10 minutes.

2314 Ridgefield Street NE Roanoke, VA 24012 (540) 362-5636 www.GreenEarthNaturally.com