



PetroSurf

SECTION 1 – IDENTIFICATION

PRODUCT IDENTIFIER:	PetroSurf		
PRODUCT USE:	Surfactant for petroleum recovery		
MANUFACTURER:	EarthCleansz – A Division of Green Earth Naturally, LLC		
ADDRESS:	2314 Ridgefield Street NE		
CITY:	Roanoke	STATE:	Virginia ZIP: 24012 COUNTRY: USA

SECTION 2 – COMPOSITION

HAZARDOUS INGREDIENTS	%	CHEMICAL ABSTRACT (CAS) NUMBER
Water	80-85	7732-18-5
Proprietary Chemicals	15-20	

SECTION 3 – HAZARDS INFORMATION AND RATINGS

WARNING
 PHYSIO-CHEMICAL HAZARDS: None
 HEALTH HAZARDS: Harmful by contact with skin or if swallowed, Irritating to respiratory system.
 ENVIRONMENTAL HAZARDS: Not classified as dangerous for the environment
 HMIS Hazard Ratings: Health - 1, Flammability - 0, Chemical Reactivity - 0
 NFPA Hazard Ratings: Health - 1, Flammability - 0, Instability - 0
 Key: Severe = 4, Serious = 3, Moderate =2, Slight = 1, Minimal = 0

SECTION 4 – FIRST AID MEASURES

Inhalation: Remove victim to fresh air. If breathing has stopped, provide artificial respiration. If breathing is difficult, give oxygen.
Ingestion: Call a physician immediately. Do not induce vomiting. If victim is conscious, have them drink copious amounts of water to dilute ingested material. Never give anything by mouth to an unconscious or convulsing person.
Skin contact: Remove contaminated clothing. Wash skin with soap and water. Launder clothing before reuse
Eye Contact: Immediately flush eyes with water for 20 minutes while retracting eyelids. Seek medical advice.
General: Always seek medical advice if an allergic reaction occurs.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:
N/ap.
PROTECTIVE EQUIPMENT:
Use water spray to cool containers below flash point
EXPOSURE HAZARDS:
N/ap.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:
Prevent skin and eye contact by wearing appropriate personal protective equipment. Avoid excessive inhalation by using under well-ventilated conditions, or with appropriate respiratory protection.
ENVIRONMENTAL PRECAUTIONS:
Product poses minimal risk to the environment in the packaged quantities. Prevent run-off from entering surface water bodies containing aquatic life. Use absorbent materials.



PetroSurf

REMEDIAL MEASURES:
Wear appropriate personal protective equipment. Eliminate all sources of ignition. Contain spill with dikes and absorbent materials. Collect in suitable closed container. The spill area may be very slippery. Dispose of waste solutions or used absorbent materials according to all local, regional, and national regulations. Do not discharge spilled material into surface water bodies or ground water.

SECTION 7 – HANDLING AND STORAGE

VENTILATION:
Use combination of general dilution ventilation and local exhaust ventilation to keep exposure as low as possible. Extra measures may be warranted for large applications or in confined spaces.

DUST/AEROSOL CONTROL:
Not expected under normal conditions of use.

EQUIPMENT:
Wear appropriate personal protective equipment.

OTHER:
Store in tightly closed containers, and away from children. Store away from extreme heat to prevent denaturing. Do not freeze.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORY PROTECTION:
No respiratory protection is warranted under expected conditions of use.

HAND PROTECTION:
Impervious gloves are recommended.

EYE PROTECTION:
Chemical safety goggles or glasses are recommended. Do not wear contact lenses.

SKIN PROTECTION:
Coveralls or other suitable protective garment. Wear suitable footwear for application and working conditions.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Pale brown liquid	VAPOUR DENSITY:	N/ap.
PH:	6.3 – 7.4	ODOR:	Musty Odor
MELTING POINT:	N/av.	BOILING POINT:	101 C
FLAMMABILITY (SOLID, GAS):	None	FLASH POINT:	N/ap.
EXPLOSIVE PROPERTIES:	None	OXIDIZING PROPERTIES:	None
SOLUBILITY:	Soluble in water		

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions of use.

INCOMPATIBILITY: Avoid strong oxidizer strong bases.

REACTIVITY: Hazardous polymerization does not occur. Will attack some forms of plastic, rubber, and coating.

HAZARDOUS DECOMPOSITION PRODUCTS: None

SECTION 11 – TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:
Skin Contact, Skin Absorption, Eye Contact, Inhalation, Ingestion

EFFECTS OF ACUTE EXPOSURE:
Inhalation may cause nose and throat irritation, metallic taste in mouth, and headache. High vapor concentrations may cause respiratory tract irritation, unconsciousness, and kidney and liver damage. Causes mild skin irritation upon contact. Vapor is irritating to the eyes. Liquid can cause irritation, pain, reddening of the eyes, and corneal injury, which heals within a few days. Slightly toxic by ingestion, with effects similar to inhalation.

EFFECTS OF CHRONIC EXPOSURE: Prolonged or repeated skin contact can cause dermatitis.

NARCOSIS: Not reported	IRRITANCY: As above	SENSITIZATION: As above
CARCINOGENICITY: Not reported	TERATOGENICITY: Not reported	RESPRODUCTIVE TOXICITY: Not reported
MUTAGENICITY: Not reported	SYNERGISTIC PRODUCTS: Not reported	



PetroSurf

SECTION 12 – ECOLOGICAL INFORMATION

MOBILITY: Completely water-soluble. Expected to be mobile in aqueous media.

DEGRADABILITY: High degradability expected based on chemical structure.

ACCUMULATION: Does not accumulate in biological systems. No potential for biomagnifications.

ECOTOXICITY: Expected to have slight ecotoxicity to aquatic organisms, soil organisms, plants, and terrestrial animals.

OTHER EFFECTS: No potential for ozone depletion or creation. Not a contributor to global warming. Not expected to adversely affect wastewater treatment plants.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal of surplus or waste product from designed use is not expected to pose a significant danger. Dispose of waste according to all local, regional, and national regulations.

SECTION 14 – TRANSPORT INFORMATION

Not regulated. Do not store product near extreme heat to prevent denaturing of emulsifier.

SECTION 15 – REGULATORY INFORMATION

Other Provisions:

Comply with all national or regional environmental and occupational health and safety requirements.

NOTE: This document is given in good faith and has been prepared in accordance with the MSDS of the OSHA Hazard Communication Standard 29 CFR 1910, 1200. However, no warranty explicit or implicit is given. It is the buyer's responsibility to assure local, state, or federal laws, and the regulatory conditions of each location. (CERCLA) Comprehensive Response Compensation and Liability Act.

The reportable quantity (RQ) is 1 lb. (0.5 Kg.) and must be reported to the National Response Center at 1-800-424-8802.

(SARA) (USA) Super Fund Amendment and Reauthorization Act.

Product subject to the reporting stipulations of Title III or Section 313 of 1986. Sections 311 and 312 hazard classification(s): fire hazard, delayed health hazard (Chronic), immediate health hazard (acute).

(TSCA) US Toxic Substances Control Act. Product listed on the TSCA Inventory.

SECTION 16 – OTHER INFORMATION

Preparation Date: August 4, 2008. Prepared by: EarthCleans

The information contained herein is based on current knowledge and experience; no responsibility is accepted that the information is sufficient or correct in all cases. Users should consider these data only as a supplement to other information. Users should make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials, the safety and health of employees and customers, and the protection of the environment.